

5.4.3 ITEM BY ID LISTING

The Item by ID listing option generates a listing that displays ID data for select items in a survey. You can elect to have all items displayed or specify select items. The IDs displayed for each item can be limited to those in the current stat period or those from an existing selection set. The ID data (for each item) may be sorted numerically by ID, or in descending order of that ID's percent of the item's tabbed value. Current-to-prior ratios are also shown.

Accessing the Screen

- Click on the TOOLS button from the StEPS Main Menu.
- Click on the QUERIES button from the Tools Menu.
- Select the "Listings Request" option.
- Choose the "Item by ID" option to display the following:




Figure 5.4.3a Item by ID Listing Request Screen

Screen Features

5.4.3.1 LISTING PARAMETER OPTIONS

General parameter options available on more than one listing request screen are defined in section 5.4.1. Please refer to the appropriate section for instructions on how to define the general listing parameters required for this screen.

- Limit items (See section 5.4.1.2)
- Limit IDs (See section 5.4.1.1)
- Select an output destination (See section 5.4.1.8)
- Generate the listing (See section 5.4.1.9)
- Save the generated code (See section 5.4.1.10)
- Sort Options
Sort the data displayed for each item numerically by ID, or in descending order of that ID's percent of the item's tabbed value.

5.4.3.2 LISTING OUTPUT

The output for the Item by ID listing appears as follows:

SAS OUTPUT-Untitled

File Edit View Globals Help

DISCLOSURE PROHIBITED - TITLE 13, U.S. CODE

PAGE: 1

ITEM BY ID

SURVEY: ATS

STAT PERIOD: 1998A1

DATE: 12APR00:16:18:59

ID

RP1998A1

ED1998A1 DI

ED1997A1 DI

WD1998A1

WD1997A1

CPR1

CPR2

% TOT

ITEM:C1PAY

0

1260267

0

0

0

.

.

0.000

0.000

0.000

00000111111

.

1234569 A

.

.

.

0.000

0.000

0.000

000001111100001

.

25698 A

.

.

.

0.000

0.000

0.000

ITEM:C2PAY

0

12378258

0

0

0

.

.

0.000

0.000

0.000

00000111111

.

12345689 A

.

.

.

0.000

0.000

0.000

000001111100001

.

32569 A

.

.

.

0.000

0.000

0.000

Figure 5.4.3b Item by ID Listing Output

Information displayed includes the following:

- Listing “header” information, including the disclosure statement, page number, listing title, survey, stat period, and the date/time that the listing was generated.
- For each item, there is a separate row of information displayed for each ID. This information includes:

Column Heading	Description
ID	ID for each case having an item value for the item specified.
RP<statp00>	Reported version of the item data for the current statistical period (e.g., RP1997A1).
ED<statp00>	Edited-unadjusted version of the item data for the current statistical period (e.g., ED1997A1).
D<00>	Data flag which identifies the <u>source</u> of the edited data item value for the current statistical period. (See section 4.2 for a list of data flags and associated descriptions.)
I<00>	Imputation flag which identifies the routine used to impute the edited data item value (if the data flag, “D<00>”, indicates that the value was imputed) for the current statistical period. (See section 4.2 for a list of imputation flags and associated descriptions.)
ED<statp01>	Edited-unadjusted version of the item data for the prior statistical period (e.g., ED1996A1).
D<01>	Data flag which identifies the <u>source</u> of the edited data item value for the prior statistical period. (See section 4.2 for a list of data flags and associated descriptions.)
I<01>	Imputation flag which identifies the routine used to impute the edited data item value (if the data flag, “D<01>”, indicates that the value was imputed) for the prior statistical period. (See section 4.2 for a list of imputation flags and associated descriptions.)
WD<statp00>	Weighted version of the item data for the current statistical period (e.g., WD1998A1).
WD<statp01>	Weighted version of the item data for the prior statistical period (e.g., WD1997A1).
CPR1	Current-to-prior ratio of the item, calculated as: WD<statp00> / WD<statp01>
CPR2	Current-to-prior ratio of the item, calculated as: WD<statp01> / WD<statp02>
% TOT	The percentage of the current stat period item total contributed by an individual ID, calculated as: 100 * (ID's WD<statp00> / Item total for <statp00>).

P-Menus

P-Menu	Options	Function
UTILITY	Save Generated Code as Canned Query	Saves the listing program (with the parameters you have specified) as a canned query, so that you can access and run it at a later date. (See Section 5.4.1.10).
HELP	Listing Request Help (F1) WhoamI (F7)	Displays Help information on using the Listing Request screen. Displays user default and systems information.
EXIT	Exit (F3)	Exits to the previous screen.